

ADJUSTABLE CAMFIRE ASADO

CFAGRL

899720



TITAN
GREAT OUTDOORS

Operator's Manual



Read the Operator's Manual entirely. When you see this symbol, the subsequent instructions and warnings are serious follow without exception. Your life and the lives of others depend on it!

Cover photo may show optional equipment not supplied with standard unit. For an Operator's Manual and Decal Kit in French or Spanish Language, please see your dealer.

PARTS DIAGRAM / EXPLODED VIEW




KEY	DESCRIPTION	QTY	KEY	DESCRIPTION	QTY
(1)	BASE FRAME	1	(9)	FIXATION CLIP	2
(2)	COOKING GRIDDLE	1	(10)	BOLT M6X12	3
(3)	MESH GRATE	1	(11)	SCREW M8X20	4
(4)	SUPPORT BAR	2	(12)	SCREW M8X25	8
(5)	ROTATED ROUND BAR WITH GEAR	1	(13)	SCREW M 6X40	2
(6)	HOOK	1	(14)	FLANGE	2
(7)	WHEEL WITH WOODEN	1	(15)	FIXATION RING	2
(8)	WIRE ROPE	1			

ASSEMBLY INSTRUCTIONS

1. Place the base frame flat on the ground.



2. Assemble one supporting bar with base frame, shall be holes alignment. Insert bolt M8x25, place the washer and tighten the screws by hand only. The same way for the second supporting bar. Securely tighten with wrench.



ASSEMBLY INSTRUCTIONS

- Put the cooking griddle over the bracket of supporting bar, use one fixation clip through the supporting bar, align holes of fixation clip with holes of cooking griddle. Insert bolt M8x20 and washer, attach with nuts. The same way for the other side. Hand tightens nuts only until all bolts are in place. **THE SAME ASSEMBLY METHOD FOR MESH GRATE.**



- Insert long bolt M6x40 through the hole of hook, place a washer. Then to assemble it with upper side hole of supporting bar, hand tighten the anti-loose nut.



ASSEMBLY INSTRUCTIONS

5. Insert rotated round bar with gear through the top hole of supporting bar. Put flange and fixation ring in turn through the rotated round bar. Align hole of flange with hole of rotated round bar near to the gear, insert short bolt M6x12, hand tighten only. Align holes of flange and tighten bolts.



6. Put wheel through the rotated round bar at side of gear, align hole of wheel with hole of rotated round bar and insert long bolt M6x40. Securely tighten the anti-loose nut by wrench.



ASSEMBLY INSTRUCTIONS

- Put rotated round bar through the hole of supporting bar at the other side, align holes of two fixation rings with rotated bar, insert short bolts M6x12 and hand tighten only.



- Insert bolt of one wire rope through the rotated bar, same way for another one.



- Take the ring of wire rope at another end hanging on hook of cooking griddle or mesh grate. Same way for another wire rope.



ASSEMBLY INSTRUCTIONS

10. Tighten all screws which are needed to be tightened by the appropriate wrench.



11. Your great Cooking Griddle is now ready for outside use on a level non-combustible surface.



ACKNOWLEDGEMENT OF RISK AND RELEASE OF LIABILITY

The use of any equipment, including this one, involves the potential risk of injury. Apart from any warranty claim that might be presented for a claimed defect in material or workmanship of the product, you accept and assume full responsibility for any and all injuries, damages (both economic and non-economic), and losses of any type, which may occur, and you fully and forever release and discharge Titan, its insurers, employees, officers, directors, associates, and agents from any and all claims, demands, damages, rights of action, or causes of action, present or future, whether the same be known or unknown, anticipated, or unanticipated, resulting from or arising out of the use of said equipment.

This equipment must be used with care by capable and competent individuals under supervision, if necessary.

WARNING



Heavy object. Use lifting aids and proper lifting techniques when moving.



Choking hazard. Small parts – Please exercise caution if small children or pets are present.



Sharp objects may be involved. Use precaution and protection.

TITAN LIMITED WARRANTY: TERMS, EXCLUSIONS AND LIMITATIONS OF REMEDIES

This product comes with a one (1) year limited warranty that can be found at www.titangreatoutdoors.com/warranty.html. Please review the same for all details regarding the Titan Limited Warranty.

THE TITAN LIMITED WARRANTY FOUND AT WWW.TITANGREATOUTDOORS.COM/WARRANTY.HTML IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE, EACH OF WHICH IS HEREBY DISCLAIMED.



NEED HELP? CONTACT US FIRST.

1-888-794-1455

info@titangreatoutdoors.com

www.titangreatoutdoors.com

© 2021 Titan Brands