

TITAN

GREAT OUTDOORS



OWNER'S MANUAL

MPN(s): DLPPC, DLPGS, ILLPGS, ILLPPC

SKU(s): 900003, 900002, 900004, 900005

UPC(s): 840009201691, 840009201684, 840009201707, 840009201714

PARTS DIAGRAM / EXPLODED VIEW


KEY	BOX	DESCRIPTION	QTY
(1)	1	OPTIONAL: DLPPC, DLPGS, ILLPGS, or ILLPPC	1
(2)	1	Shepherd Hooks	2

ASSEMBLY INSTRUCTIONS

– No Assembly Instructions Required.

POST INSTALLATION:

Dig a hole 12 to 15-inches in diameter and roughly 12-inches deep. Dig an additional 6-inch depth and pour in 6-inches of gravel for drainage purposes. Fill the rest with concrete and excess soil. Remember to check local codes for underground utility lines.





*This concludes the LanternPosts Owner's Manual.
If applicable to your product, make sure to
tighten all nut-and-bolt combinations before use.
Enjoy!*

DISCLAIMER

This equipment must be used with care by capable and competent individuals under supervision, if necessary.

The use of any equipment, including this one, involves the potential risk of injury. You accept and assume full responsibility for any and all injuries, damages (both economic and non-economic), and losses of any type, which may occur, and you fully and forever release and discharge Titan, its insurers, employees, officers, directors, associates, and agents from any and all claims, demands, damages, rights of action, or causes of action, present or future, whether the same be known or unknown, anticipated, or unanticipated, resulting from or arising out of the use of said equipment.

TITAN MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE EQUIPMENT, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE. BUYER ASSUMES ALL LIABILITY IN USE OF THE EQUIPMENT.



NEED HELP?

CONTACT US FIRST.

1 (800) 605-8241

info@titandistributorsinc.com / www.titangreatoutdoors.com

Business Hours: Monday–Friday • 8:00 a.m.–5:00 p.m. (CT)

